

Colorado River Commission of Nevada

Natural Resources Group Hydrologic Update February 18, 2016



Unregulated Inflow Into Lake Powell

As of February 8, 2016

	MAF*	% Avg**
• WY 2016 (Projected):	9.92	92%
• April-July 2016 (Projected):	6.70	94%
• January (observed):	0.30	83%
• February (forecasted):	0.35	89%

***MAF=Million Acre-Feet**

****30-year average, from 1981-2010 (current normal)**



Storage Conditions

As of February 8, 2016

Percent of
Capacity

Δ from last year

Lake Mead elev. 1084.03 ft 40%  4.82 ft

Lake Powell elev. 3,595.99 ft 47%  2.70 ft


Total System
Storage (2/2016) 29.35 maf 49%  0.02 maf

Total System
Storage (2/2015) 29.37 maf 49%




Lake Powell Projections

Reclamation's January 24-Month Study



Lake Mead Projections

Reclamation's January 24-Month Study




Reservoir Storage

As of February 10, 2016

Data Current as of:
02/10/2016

Upper Colorado River Drainage Basin



Colorado River Reservoir Storages

Basin	Reservoir	Max Storage	*Current Storage	Percentage	Current Storage subtotals
Upper Basin	Crystal Reservoir	17,356	15,015	87%	5,402,454
	Flaming Gorge	3,749,000	3,142,874	84%	
	Fontenelle	344,800	160,662	47%	
	Morrow Point	117,190	109,838	94%	
	Blue Mesa	829,500	579,013	70%	
	Navajo	1,696,000	1,395,052	82%	
	Lake Powell	24,322,000	11,340,672	47%	
Lower Basin	Lake Mead	26,120,000	10,355,000	40%	2,198,000
	Lake Mohave	1,809,800	1,645,800	91%	
	Lake Havasu	619,400	552,200	89%	
TOTAL		59,625,046	29,296,126	49%	

*Data current as 2/10/2016

<http://www.usbr.gov/lc/region/g4000/hourly/levels.html>

<http://www.usbr.gov/uc/water/rsrvs/ops/r40day.html>

U.S. Drought Monitor



West

February 9, 2016

(Released Thursday, Feb. 11, 2016)

Valid 7 a.m. EST


Intensity:



U.S. Seasonal Drought Outlook

Drought Tendency During the Valid Period

Valid for January 21 - April 30, 2016
Released January 21, 2016





Depicts large-scale trends based on subjectively derived probabilities guided by short- and long-range statistical and dynamical forecasts. Use caution for applications that can be affected by short lived events. "Ongoing" drought areas are based on the U.S. Drought Monitor areas (intensities of D1 to D4).

NOTE: The tan areas imply at least a 1-category improvement in the Drought Monitor intensity levels by the end of the period, although drought will remain. The green areas imply drought removal by the end of the period (D0 or none).


Author:
Adam Allgood
NOAA/NWS/NCEP/Climate Prediction Center

-  Drought persists
-  Drought remains but improves
-  Drought removal likely
-  Drought development likely



<http://go.usa.gov/3eZ73>

Colorado Basin River Forecast Center Colorado Basin above Lake Powell 118 sit Group



Precipitation – Colorado River Basin

As of February 8, 2016

Upper Colorado Basin

WY Precip to Date

106% (13.1")

Current Basin Snowpack

111% (11.5")

(Avg 1981-2010)





Precipitation

Monthly Precipitation for January 2016

(Averaged by Hydrologic Unit)

% Average





Prepared by
NOAA, National Weather Service
Colorado Basin River Forecast Center
Salt Lake City, Utah
www.cbafc.noaa.gov

Seasonal Precipitation, October 2015 - January 2016

(Averaged by Hydrologic Unit)

% Average



Prepared by
NOAA, National Weather Service
Colorado Basin River Forecast Center
Salt Lake City, Utah
www.cbafc.noaa.gov

Water Use in Southern Nevada



Water Use in Southern Nevada

January – December 2015

2015*: Consumptive Use = 222,699 af

2014: Consumptive Use = 224,622 af

Difference = - 1,923 af

*Subject to final accounting.



Precipitation and Temperature on Valley Water Use

- **The planning division within LVVWD has developed a demand model that shows changes in average daily water use per account caused by deviations in temperature, precipitation, and wind speed from normal conditions.**
- **On a monthly basis the model suggests that each degree above normal results in an 11 gallon increase in average daily use.**
- **Each inch of precipitation above normal results in a 32 gallon decrease in average daily use**
- **Each one mph of wind speed above normal results in a 16 gallon increase in average daily use.**
- **The model is updated yearly to reflect the most current available data.**
- **Due to turf removal programs the impact of temperature and precipitation is causing less of an effect than it did in the past.**



Colorado River Commission of Nevada

Questions?

Warren Turkett Ph.D.
wturkett@crc.nv.gov

